DT04 Rec'd PCT/PTO 1 4 SEP 2004

Amendments to the Claims

1. (Original) A powdery/granular external preparation for wounds for use in treatment and procedure of skin damages

characterized in comprising a water-soluble polymer of 2 mass% or more ("mass%" is referred to as "%" unless otherwise specifically mentioned) and a crosslinking agent of from 0.01% to 20%, and

the water-soluble polymer is in uncross-linked state.

- 2. (Original) The preparation according to Claim 1, wherein the content of the water-soluble polymer is 5% or more.
- 3. (Currently amended) The preparation according to Claim 1-or 2, wherein the water-soluble polymer has acidic group in its structure.
- 4. (Original) The preparation according to Claim 3, wherein the acidic group is carboxylic group or sulfonic acid group.
- 5. (Currently amended) The preparation according to any one of Claims 1 to 4 Claim 1, wherein the crosslinking agent is polyvalent metal salt.
- 6. (Currently amended) The preparation according to any one of Claims 1 to 5 Claim 1, wherein the water-soluble polymer is sodium polyacrylate.
- 7. (Currently amended) The preparation according to any one of Claims 1 to 6 Claim 1, wherein the crosslinking agent is aluminum-containing crosslinking agent.
- 8. (Currently amended) The preparation according to any one of Claims 1 to 7 Claim 1, further comprising a bactericidal agent of from 0.1% to 10%.

- 9. (Original) The preparation according to Claim 8, wherein the bactericidal agent is iodine-based bactericidal agent.
- 10. (Currently amended) The preparation according to any one of Claims 1 to 9 Claim 1, further comprising sugars of from 5% to 70%.
- 11. (Currently amended) The preparation according to any one of Claims 1 to 10 Claim 1, wherein the moisture content of the preparation is 3% or less.
- 12. (Currently amended) An ointment external preparation for wounds characterized in containing the preparation of any one of Claims 1 to 11 Claim 1 and a fluidization agent.
 - 13. (Original) The preparation according to Claim 12, wherein the fluidization agent is macrogol.